

Page 1 of 1

All amounts are calculated in domestic currency.

es from 12/6/2010 to 12/6/2010

100

(2)

NOTES: THE USER'S ACCOUNTS/MANQUANTS DO NOT FILE
 PARROTTES IMMEDIATELY
 ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
 RETOURNÉ À L'USAGER SANS CONTRÔLE NUMÉRIQUE D'APPROBATION SÉRIENT
 LE CHANGEMENT NE PEUT ÊTRE EFFECTUÉ SANS LE NUMÉRIQUE D'APPROBATION

Page: 1 ... Continued

***** CLOSED FOR THE HOLIDAYS *****
 FROM DEC. 25TH TO 28TH, ON DEC. 31ST & JAN. 3RD.
 WE ARE OPENED FOR BUSINESS ON DEC. 29TH & 30TH.
 HAVE A HAPPY HOLIDAY SEASON!
 *CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
 CONCORD, ONT. * ** 9:00 AM TO 4:00 PM ***

TOTAL 1 BDL G.W. 168 LBS;

WITH TEST REPORTS, PACKING SLIPS ARE TO SENT
 TO SHIPPING.
 ATTN: CHANTAL/LINDA
 ** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
 ** REFERENCED ON IT **

Heat Number 510229A8

*** Chemical Analysis ***

| WT LBS | PCS | Quantity | Tags | PCS | TOTAL: |
|--------|-----|----------|------|-----|--------|
| 156 | 1 | 2.67 SFT | 1 | 1 | |
| 156 | 1 | | | 1 | |

MTR

Part # ALUMINUM PLATE 7075T7351
 4.00" THICK X 4.0000" X 96.0000"
 Heat Number 510229A8
 Tag No 474696
 Quantity 2.67 SFT
 PCS 1
 WT LBS 156

B I L L O F L A D I N G

Ship To: (1)
 DART AEROSPACE
 1270 ABERDEEN ST
 HAWKESBURY, ON K6A 1K7
 Tel: 613-632-9577 Fax: 613-632-1053

Ship From:
 THYSSENKRUPP MATERIALS NA
 2821 LANGSTAFF ROAD
 CONCORD, ONTARIO L4K 5C6
 Tel: 905 669 9444 Fax: 9057389033

Ship Date 03Dec10 at 13:19 from PFW
 No: PEG 686435
 L A D I N G
 Probill 1150898
 Via APX MOTOR-PEC
 FOB CONCORD
 FRT PREPAID
 Route 0 0 Manifest
 Trailer
 SLP TRINA VINCE (905-532-1365)
 Sold To: (20115)
 DART AEROSPACE
 1270 ABERDEEN ST
 HAWKESBURY, ON K6A 1K7

DATE

TOUS LES PRODUITS ENCHANGÉS SONT ANULÉS. DOIVENT ÊTRE
RAPPORTÉS IMMÉDIATEMENT.
ERREURS OR SHORITAGE MUST BE REPORTED IMMEDIATELY.
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

* WE STOCK STAINLESS STEEL *
* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

*** TEL. 800-926-2600 ***
B I L L O F L A D I N G

Ship From: THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033
Ship To: (1) DART AEROSPACE
No: PEC 686435
Ship Date 03Dec10 at 13:19 From PHW
Probill T150898
Via APX MOTOR-PEC
FOB CONCORD
Rrt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Sip TRINA VINCE (905-532-1365)
Sold To: (20115) DART AEROSPACE
L A D I N G

PURCHASE ORDER **Purchase Order ID PO13013**

Purchase Order Date 11/26/2010
 PO Print Date 11/26/2010

Dart Aerospace Ltd.
 1270 Aberdeen Street
 Hawkesbury, ON K6A 1K7
 Tel: 613 632 9577
 Fax: 613 632 1053



VC-COP001

THYSSENKRUPP MATERIALS CA LTD
 O/A VPK METAL-C/O T27540/PO BOX 4275, POSTAL "A"
 TORONTO, ON M5W 5V8
 CA

RECEIVED
 11/15/10

Contact Name
 Vendor Phone 905 669 9444
 Vendor Fax 905 738 9033
 Vendor Account Nbr

Buyer
 Requisition Nbr
 Tax Resale Nbr
 Terms
 Currency
 FOB

Brigitte Golden
 10127-2607
 Net 30
 CAD
 Destination-Collect

Ship To : DART AEROSPACE LTD
 1270 ABERDEEN
 HAWKESBURY, ON K6A 1K7
 CANADA

| Line Nbr | Reference | Revision ID | Description/ Mfg ID | Reg Date/ Taxable | Unit of Measure | Reg Qty/ Ship Method | Unit Price | Extended Price |
|----------|----------------------|-------------|------------------------|----------------------|-----------------|-------------------------|------------|-------------------|
| 1 | M705-T73B4.000x4.000 | | 705-T73 Bar 4.0 x 4.0 | 12/7/2010 | Yes | 1.00 Yours.ppd | \$695.0000 | \$695.00 |

Special Inst:
 MATERIAL: 705-T73 (OR 705-T7351/T73510/T73511) BAR PER AMS-4124) OR AMS-QQ-A-225/9(AMS-QQ-A-200/11 OR AMS-QQ-A-250/12 (AMS 4078)

1 ALUMINUM PLATE 4" X 4" X .96"

11/11/10

PO Total:

**MATERIAL CERTIFICATION
 REQD UPON DELIVERY**

PO Instructions: AS PER QUOTE # PEC ST-278212

Change Nbr: 1
Change Date: 11/26/2010
 No substitution or deviation without consent.
 Certificate of Conformity or Material Certification required when applicable

KAISER ALUMINUM FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT
<http://Certs.KaiserAluminum.com>

Kaiser Aluminum
Trentwood Works
Spokane, WA 99205-5108
(800) 367-2586

| | | | | | | | |
|-------------------------------------|----------------------|--|------------------|---------------------------------------|--------------------|----------------------------------|--|
| CUSTOMER PO NUMBER: 5400059424-0060 | | WORK PACKAGE: | | CUSTOMER PART NUMBER: ALFLR01040-48.5 | | PRODUCT DESCRIPTION: Sawed Plate | |
| KAISER ORDER NUMBER: 1099159 | LINE ITEM: 6 | SHIP DATE: 06/16/2010 | ALLOY: 7075 | CLAD: BARE | TEMPER: T7351 | | |
| WEIGHT SHIPPED: 2850 LB | QUANTITY: 1 PCS EST. | B/L NUMBER: 2027767 | GAUGE: 4.0000 IN | WIDTH: 48.500 IN | LENGTH: 144.500 IN | | |
| Misc: | | ALFLR01040-48.5 | | | | | |
| SHIP TO: | | COPPER & BRASS SALES 5 STERLING DRIVE WALLINGFORD, CT 06492 US | | | | | |
| SOLD TO: | | COPPER & BRASS SALES ATTN: ACCOUNTS PAYABLE P.O. Box 5116 SOUTHFIELD, MI 48086 US | | | | | |

Certified Specifications

AMS 4078/RevG AMS-QQ-A-250/12 AMS-STD-2154 ASTM B 209/Rev07 ASTM B 594/Rev06 BAC
5439/RevH BSS 7055/RevA CSTI 006/RevC DPS 4.713/RevAH GAMES 9101/RevB
GSS16100/RevG/Amd1 MMS 159/RevN PS 21211/RevK

Test Results:

Test Code: 4297

ThyssenKrupp Materials NA, Inc.
Copper and Brass Sales Div sold to:
CUSTOMER: ThyssenKrupp Materials NA
YOUR PO#: REC-226440
CBS ORDER#: 1400658977
QTY: 1 PC
BY: JSC DATE: 11-30-10

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser) hereby certifies that metal shipped under this order was melted in the United States of America, and meets the requirements of DPAARS 252.225 for domestic content. This material has been inspected, tested and found in conformance with the requirements of the applicable specifications as indicated herein. All metal which is solution heat treated complies with AMS 2772. Any warranty is limited to that shown on Kaiser's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of Kaiser Aluminum Fabricated Products, LLC Laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under Federal law. ISO-9001:2000 certified.

BILL POYNOR, LABORATORIES SUPERVISOR

Plant Serial: 4196815

Kaiser Order Number: 1099159

KAISER ALUMINUM FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT
<http://Certs.KaiserAluminum.com>

Kaiser Aluminum
Trentwood Works
Spokane, WA 99205-5108
(800) 367-2586
LOT: 510229A8 CAST: 323 DROP: 02 INGOT: 4

(ASTM E8/B557)

(EN 2002-1)

Tensile: Temper

T7351

Dlr/#Tests LT / 02 (Min:Max)

(445 : 471)

(355 : 389)

Ultimate KSI (MPa) Yield KSI (MPa) Elongation %

64.6 : 68.3 51.5 : 56.4 11.0 : 11.6

(ASTM E1004)

(EN 2004-1)

Conductivity % IACS:

42.0 Min 24.4 Min

42.6 Max 24.7 Max

(ASTM E1251)

Chemistry:

Actual
SI FE CU MN MG CR ZN TI V ZR OTHER
0.08 0.16 1.6 0.03 2.4 0.20 5.7 0.03 0.01 0.01 0.05

Chemistry:

7075
SI FE CU MN MG CR ZN TI V ZR OTHER
MIN 0.00 0.00 1.2 0.00 2.1 0.18 5.1 0.00 0.00 0.05
MAX 0.40 0.50 2.0 0.30 2.9 0.28 6.1 0.20 0.05 0.15

Miscellaneous Notes

7075-T7351 plate 3.501-4.000 thick, if ultrasonically inspected, meets requirements of CMMPO25 per SDR CMMPO25-KaiserT-2.
7075-T7351 plate 4.001-5.000 thick, if ultrasonically inspected, meets requirements of CMMPO25 per SDR CMMPO25-KaiserT-2.

Metal represented by this test report was immersion ultrasonically tested from one side and meets the Class A and Class B requirements of all specifications referenced on this test report.

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser) hereby certifies that metal shipped under this order was melted in the United States of America or a qualifying country per DEARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DEARS 252.225 for domestic content. This material has been inspected, tested and found in conformance with the requirements of the applicable specifications as indicated herein. All metal which is solution heat treated complies with AMS 2772. Any warranty is limited to that shown on Kaiser's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of Kaiser Aluminum Fabricated Products, LLC Laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under Federal law. ISO-9001:2000 certified.

BILL POYNOR, LABORATORIES SUPERVISOR

Plant Serial: 4196815

Kaiser Order Number: 1099159

COPPER AND BRASS SALES

MATERIAL TYPE

ALUMINIUM ALLOYS

PRODUCT DESIGNATION

2014 2024 2224 2324 7050 7075 7150 7175 7475 ALUMEC 89 ALUMEC 99 QC-7

"WARNING"

SMALL CHIPS, FINE TURNINGS AND DUST MAY IGNITE READILY. EXPLOSION POTENTIAL MAY BE PRESENT WHEN DUST OR FINES ARE DISPERSED IN THE AIR. FINE, DUST OR MOLTEN ALUMINUM ARE IN CONTACT WITH CERTAIN METAL OXIDES; OR, CHIPS, FINES, DUST OR MOLTEN ALUMINUM ARE IN CONTACT WITH WATER OR MOISTURE. KEEP AWAY FROM IGNITION SOURCE. USE EXPLOSION-PROOF VENTILATION. KEEP MATERIAL DRY.

THIS PRODUCT CONTAINS BERYLLIUM AND COPPER. INHALING BERYLLIUM DUST OR FUMES MAY CAUSE CHRONIC BERYLLIUM DISEASE (CBD), A SERIOUS CHRONIC LUNG DISEASE IN SOME INDIVIDUALS. BERYLLIUM IS A CANCER HAZARD; OVER TIME CBD AND CANCER CAN BE FATAL. TARGET ORGAN IS PRIMARILY THE LUNG. INHALING LARGE AMOUNTS OF COPPER, MANGANESE OXIDE, AND ZINC OXIDE FUMES OR DUST MAY CAUSE METAL FUME FEVER WITH FLU-LIKE SYMPTOMS. CHRONIC OVEREXPOSURE TO COPPER MAY CAUSE THICKENING OF THE SKIN, AND SKIN, TEETH, AND HAIR DISCOLORATION. CHRONIC OVEREXPOSURE TO MANGANESE DUST CAN CAUSE CENTRAL NERVOUS SYSTEM DAMAGE, SCARRING OF THE LUNGS AND REPRODUCTIVE HARM IN MALES. TARGET ORGAN IS PRIMARILY THE LUNG, BUT REPEATED HIGH EXPOSURE CAN ALSO AFFECT THE LIVER. CHRONIC OVEREXPOSURE TO IRON OXIDE DUST/FUME MAY CAUSE LUNG SIDEROSIS. CHRONIC OVEREXPOSURE TO SILICON DUST CAN CAUSE CHRONIC BRONCHITIS. OVEREXPOSURE TO AMORPHOUS SILICA CAN CAUSE DRYING OF THE MUCOUS MEMBRANES OF THE EYES, NOSE, AND THROAT.

THIS PRODUCT ALSO CONTAINS NICKEL AND CHROMIUM COMPOUNDS. INHALATION OF NICKEL DUST OR FUME MAY RESULT IN INFLAMMATION OF THE RESPIRATORY TRACT AND CAUSE NASAL AND/OR LUNG CANCER. NICKEL HAS BEEN IDENTIFIED AS A POTENTIAL HUMAN CARCINOGEN. EXPOSURE TO CHROMIUM DUST OR FUMES MAY CAUSE METAL FUME FEVER WITH FLU-LIKE SYMPTOMS AND KIDNEY AND LIVER DAMAGE. UNDER HIGH TEMPERATURES, HEXAVALENT CHROMIUM MAY BE PRODUCED, IF IN THE INSOLUBLE FORM. IT IS A CONFIRMED HUMAN CARCINOGEN. (CALIFORNIA PROPOSITION 65).

IF COATED WITH OIL, MAY CAUSE SKIN IRRITATION/DERMATITIS BY CONTACT. WELDING FUME IS LISTED AS A POSSIBLE CARCINOGENIC TO HUMANS. READ THE ALUMINIUM/ALUMINUM ALLOYS MATERIAL SAFETY DATA SHEET (MSDS) ON FILE WITH YOUR EMPLOYER BEFORE WORKING WITH THIS MATERIAL.

* If processing or recycling produces particulate, use exhaust ventilation or other controls designed to prevent exposure to workers. Examples of such activities include melting, welding, grinding, abrasive sawing, sanding and polishing. Any activity which abrades the surface of this material can generate airborne particulate. Use appropriate NIOSH approved respiratory protection (P95; P100 for lead with, quantitative fit testing required) if exposures exceed the permissible limits.

* The Occupational Safety and Health Administration (OSHA) have set mandatory limits on occupational exposures. * Aluminum, in solid form and as contained in finished products presents no special health risk. * Sold for manufacturing purposes only. This product can be recycled; contact your sales representative.

For additional information, call or write to Copper and Brass Sales, 22355 West Eleven Mile Road, Southfield, MI 48033, telephone 248-233-5600, or visit our web site @ www.copperandbrass.com.